

# **MIDI-CI Property Exchange LocalOn Resource**

---

**Version 1.01  
November 24, 2020**

**Document M2-109-UM**

**Published By:**

**Association of Musical Electronics Industry**

**<http://www.amei.or.jp>**

**and**

**The MIDI Association**

**<https://www.midi.org>**



## PREFACE

Property Exchange is part of the MIDI-CI specifications first released in 2018. Property Exchange is a method for sending JSON over SysEx between two devices to get and set device properties. Each MIDI device is unique and provides an experience different from another device. Property Exchange allows you to discover and use almost any device in a consistent way. This document describes the Property Data for these Resources. For information on how to transmit and receive Property Data over SysEx please see the MIDI-CI [MMA02] and Common Rules for MIDI-CI Property Exchange [MMA03].

©2020 Association of Musical Electronics Industry (AMEI)(Japan)

©2020 MIDI Manufacturers Association Incorporated (MMA)(Worldwide except Japan)

ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING INFORMATION STORAGE AND RETRIEVAL SYSTEMS, WITHOUT PERMISSION IN WRITING FROM THE MIDI MANUFACTURERS ASSOCIATION.

<https://www.midi.org>

<http://www.amei.or.jp>



 **MIDI™ Association**

## Table of Contents

|     |   |   |
|-----|---|---|
| 1.  | Introduction.....   | 1 |
| 1.1 | Background.....   | 1 |
| 1.2 | Related Documents.....  | 1 |
| 1.3 | Terminology.....  | 1 |
| 1.4 | Reserved Words and Specification Conformance.....                                 | 2 |
| 2.  | LocalOn Resource.....   | 3 |
| 2.1 | Introduction.....   | 3 |
| 2.2 | Initiator Requests Data from a Responder Using an Inquiry: Get Property Data..... | 3 |
| 2.3 | Request using Inquiry: Set Property.....  | 3 |
| 2.4 | "ResourceList" Integration for LocalOn.....                                       | 4 |
|     | Revision History.....   | 5 |

# 1. Introduction

## 1.1 Background

Property Exchange is part of the MIDI Capability Inquiry (MIDI-CI) [MMA02] specification and MIDI 2.0. Property Exchange is a method for getting and setting various data, called Resources, between two Devices. Resources are exchanged inside two payload fields of System Exclusive Messages defined by MIDI-CI, the Header Data field and Property Data field. This document defines only the contents of the Header Data and Property Data fields. For information on how to transmit and receive these Resource payloads inside MIDI-CI System Exclusive messages, see the MIDI Capability Inquiry specification [MMA02] and Common Rules for MIDI-CI Property Exchange specification [MMA03].

This document defines the LocalOn Resource which uses Property Exchange to Get and Set the "Local On/Off" setting of a Property Exchange Device.

## 1.2 Related Documents

- [MMA01] *The Complete MIDI 1.0 Detailed Specification, Document Version 96.1, Third Edition*, Association of Musical Electronics Industry, <http://www.amei.or.jp/>, and MIDI Manufacturers Association, <https://www.midi.org/>.
- [MMA02] *MIDI Capability Inquiry (MIDI-CI), Version 1.1*, Association of Musical Electronics Industry, <http://www.amei.or.jp/>, and MIDI Manufacturers Association, <https://www.midi.org/>.
- [MMA03] *Common Rules for MIDI-CI Property Exchange, Version 1.1*, Association of Musical Electronics Industry, <http://www.amei.or.jp/>, and MIDI Manufacturers Association, <https://www.midi.org/>.

## 1.3 Terminology

**Device:** An entity, whether hardware or software, which can send and/or receive MIDI messages.

**Property:** A JSON key:value pair used by Property Exchange.

**Property Data:** A set of one or more Properties in a Device which are accessible by Property Exchange. Contained in the Property Data field of a MIDI-CI Property Exchange message.

**Property Exchange:** an AMEI/MMA specification which is the basis for this specification, in which one Device may access Property Data from another Device.

**Property Exchange Device:** A Device which implements Property Exchange.

**Property Key:** the key in a JSON key:value pair used by Property Exchange.

**Property Value:** the value in a JSON key:value pair used by Property Exchange.

**Resource:** A defined Property Data with an associated inquiry for accessing the Property Data.

**Simple Property Resource:** A Resource that defines only a single Property which includes only a Property Value, without the Property Key, in the Property Data.

## 1.4 Reserved Words and Specification Conformance

In this document, the following words are used solely to distinguish what is required to conform to this specification, what is recommended but not required for conformance, and what is permitted but not required for conformance:

**Table 1 Words Relating to Specification Conformance**

| Word          | Reserved For                 | Relation to Spec Conformance   |
|---------------|------------------------------|--|
| <b>shall</b>  | Statements of requirement    | Mandatory.<br>A conformant implementation conforms to all 'shall' statements.  |
| <b>should</b> | Statements of recommendation | Recommended but not mandatory.<br>An implementation that does not conform to some or all 'should' statements is still conformant, providing all 'shall' statements are conformed to. |
| <b>may</b>    | Statements of permission     | Optional.<br>An implementation that does not conform to some or all 'may' statements is still conformant, providing all 'shall' statements are conformed to.                         |

By contrast, in this document, the following words are never used for specification conformance statements; they are used solely for descriptive and explanatory purposes:

**Table 2 Words Not Relating to Specification Conformance**

| Word         | Reserved For                 | Notes  |
|--------------|------------------------------|--|
| <b>must</b>  | Statements of unavailability | Describes an action to be taken that, while not required (or at least not directly required) by this specification, is unavoidable.<br>Not used for statements of conformance requirement (see 'shall' above).   |
| <b>will</b>  | Statements of fact           | Describes a condition that as a question of fact is necessarily going to be true, or an action that as a question of fact is necessarily going to occur, but not as a requirement (or at least not as a direct requirement) of this specification.<br>Not used for statements of conformance requirements (see 'shall' above). |
| <b>can</b>   | Statements of capability     | Describes a condition or action that a system element is capable of possessing or taking.<br>Not used for statements of conformance permission (see 'may' above).  |
| <b>might</b> | Statements of possibility    | Describes a condition or action that a system element is capable of electing to possess or take.<br>Not used for statements of conformance permission (see 'may' above).   |

## 2. LocalOn Resource

### 2.1 Introduction

"LocalOn" is a Simple Property Resource which allows an Initiator to manage the Local On/Off switch of a Responder. Many Devices have both a tone generator and an attached keyboard (or other similar local input). These Devices may have a Local On/Off switch to select if the local input talks directly to the tone generator.

### 2.2 Initiator Requests Data from a Responder Using an Inquiry: Get Property Data

An Initiator may request the "LocalOn" Resource from a Responder using an Inquiry: Get Property Data message.

If set to true, then Local On/Off is set to On. If set to false, then Local On/Off is set to Off.

#### Initiator Sends Inquiry: Get Property Data Message

|               |                        |
|---------------|------------------------|
| Header Data   | {"resource":"LocalOn"} |
| Property Data | <i>none</i>            |

#### Responder Sends Reply to Get Property Data Message

|               |                |
|---------------|----------------|
| Header Data   | {"status":200} |
| Property Data | false          |

### 2.3 Request using Inquiry: Set Property

An Initiator may send the Property Data to a Responder for the "LocalOn" Resource using an Inquiry: Set Property Data message.

#### Initiator Sends Inquiry: Set Property Data Message

|               |                        |
|---------------|------------------------|
| Header Data   | {"resource":"LocalOn"} |
| Property Data | true                   |

#### Responder Sends Reply to Set Property Data Message

|               |                |
|---------------|----------------|
| Header Data   | {"status":200} |
| Property Data | <i>none</i>    |

## 2.4 "ResourceList" Integration for LocalOn

Example minimal entry in ResourceList:

|               |                                   |
|---------------|-----------------------------------|
| Property Data | [<br>{"resource": "LocalOn"}<br>] |
|---------------|-----------------------------------|

Example full version with default settings:

|               |   |
|---------------|---|
| Property Data | [<br>{<br>"resource": "LocalOn",<br>"canGet": true,<br>"canSet": "full",<br>"canSubscribe": false,<br>"requireResId": false,<br>"schema": {<br>"title": "LocalOn",<br>"type": "boolean",<br>"description": "Local on/off state. Will return true if<br>Local is on."<br>}<br>}<br>] |
|---------------|---|

## Revision History

| Date          | Version | Changes         |
|---------------|---------|-----------------|
| Nov. 17, 2020 | 1.01    | Initial Version |

<https://www.midi.org>

